INDEX FOR VOLUME 48

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in bold face. A special listing is made of "new species and varieties."

Acti-dione, see (under **antibiotics**) [β-[2-(3,5 dimethyl-2-oxocyclohexyl)-2-hydroxyethyl] glutarimide
actinomycin, see under **antibiotics**
Alexander, M. (126)
alfalfa
  Corynebacterium insidiosum, differential responses to variant forms 461
  five Pythium species on 481, **484**
  flooding injury, environmental factors 392
  Fusarium wilt, relation of root-knot nematodes 344
  Pratylenchus, growth reduction 525
  Pseudoplea-Stemphylium complex 365, **367**
  resistance to Meloidogyne hapla 347
  stem nematode, varietal reactions 107
alfalfa mosaic virus, see under **viruses**
Allen, M. W. (347)
Alternaria, see under **fungi**
amino acids
  aspartic acid
    self-inhibitor of uredospore germination 595
  content in hydrolysates from mycelium of several anthracnose fungi 55
  fungus mycelium, effect of sub-lethal amounts of copper sulfate and **N**-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide 461
  glutamic acid, self-inhibitor of uredospore germination 595
anisomycin, see under **antibiotics**
annual meeting
  report on 49th 110
  abstracts from 50th 391
antagonisms
  Armillaria mellea against Trichoderma viride 392
  crown rust of oats vs. leaf rust of wheat 69, **70**
  leaf rust of wheat vs. crown rust of oats 69, **70**
  Puccinia coronata avenae vs. P. recondita 69, **70**
  Streptomyces as natural soil fungicide 395
anthracnose fungi, see under **fungi**
antibiotics
  actinomycin, downward translocation in plants 71, **73**
  anisomycin, effect on Erysiphe graminis tritici 474, **475, 476**
  bacitracin, downward translocation in plants, 71, **73**
  control of bacterial soft rot in lettuce 311, **311, 312**
  Cynnamycin, activity against microorganisms 395
  dihydrostreptomycin, downward translocation in plants 71, **73**
  β[2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl] glutarimide, safflower seed-borne rust control 640
  downward translocation in plants 71, **73**
  GS1, uptake by seeds and plants 391
  lettuce production affected by 311, **311, 312**
  neomycin, downward translocation in plants, 71, **73**
  on Sclerotium rolfsii in laboratory 463
  oxamycin, downward translocation in plants 71, **73**
  pleocidin, downward translocation in plants 71, **73**
  streptomycin
    downward translocation in Coleus 392
    downward translocation in plants 71, **73**
    foliar absorption by Sedum purpureum 151
  streptomycin sulfate, combined with fungicides, potato stands and yields depressed 261
  streptothricin, downward translocation in plants 71, **73**
Anticarie, see (under **fungicides**) hexachlorobenzene
antiviral agent, control of tobacco mosaic virus 344
Anzalone, Louis, Jr. 341
Aphanomyces, see under **fungi**
aphid-borne viruses, affecting pepper 265
apple
  apple mosaic, caused by 2 viruses 432
  apple-rotting fungi, cellulolytic activity of 263
  Botryosphaeria ribis, control with fungicides 461
  dapple apple virus 260
  finish, effect of fungicidal and combination sprays 261
  fire blight canker, secondary organism role 209
  Gloeodes pomigena, time of fruit infection 462
  heat injury 39, **44**
  Microthyriella rubi, time of fruit infection 462
  mite populations, effect of fungicidal and combination sprays 261
apple mosaic, see under **viruses**
apple powdery mildew, control with 2-(1-methylheptyl)-4,6-dinitrophenyl crotonate and isomers 262
apple scab, see (under **fungi**) Venturia inaequalis
apricot, virus gummosis, a new disease 435, **436**
Ark, Peter A. 391, (640)
Armillaria, see under **fungi**
Armstrong, G. M. 341
Armstrong, J. K. (341)
Ascochyta, see under **fungi**
Ashworth, L. J. (394)
asparagus, Trichodorus christiei, chemical basis of resistance 463
Aspergillus, see under **fungi**
aster leafhopper, aster yellows virus, three strains, cross-protection tests 393
aster yellows, see under **viruses**
Athow, Kirk L. (414) 437
Atkins, John G. (632)
atmospheric fluorides, response of ponderosa pine 393
auxins, see under **growth regulators**
avocado
  Phytophthora root rot 144
  resistance to Phytophthora cinnamomi 399
azalea, anthracnose of 256, **257**
bacitracin, see under **antibiotics**
bacteria
  Bacterium, sp. isolated from fire blight cankers, inhibition of Erwinia amylovora by 209
  Bacterium cattleyae, inhibited by antibiotic Cinnamycin 395
  Corynebacterium fascians, inhibited by antibiotic Cinnamycin 395
  Corynebacterium insidiosum, variant forms on alfalfa clones 461
  Erwinia amylovora, inhibition of by Bacterium sp. 209
  Pseudomonas marginalis, sterile filtrates on lettuce 261
  Pseudomonas phaseolicola, inhibited by antibiotic Cinnamycin 395
  Pseudomonas solanacearum
    dissemination and control on banana 64, **65**
    enzymes in pathogenesis 377, **382, 383**
    slime production related to wilting and pathogenicity 155, **158, 160, 162**
    spread and control on bananas 64, **65**
  Pseudomonas species, isolated from bacterial fleck of cabbage 261
  Pseudomonas tabaci, biochemical mutants 535
  Xanthomonas malvacearum
    amino acid utilization 342
    resistance in cotton, measurement 341
  Xanthomonas pelargonii, factors affecting development 185
  Xanthomonas phaseoli, inhibited by antibiotic Cinnamycin 395

bacterial blight, cotton, resistance measurement 341
bacterial fleck, cabbage 261
bacterial soft rot, chemical treatments 311, **311, 312**
bacterial wilt, Pseudomonas solanacearum on banana, dissemination and control 64, **65**
Bacterium, see under **bacteria**
Bagnall, R. H. 121, 391
Bailey, Floyd D. (291)
Bain, Douglas C. 341
Baines, R. C. 391
Baker, Ralph (397)
Bald, J. G. (391)
banana, bacterial wilt, dissemination and control 64, **65**
Bancroft, John B. 98
Bardin, Roy (538)
barley
antibiotic GS1, translocation 391
control of soaking injury of seed 553
Erysiphe graminis hordei
genes conditioning resistance 463
resistance 601
Helminthosporium sativum, temperature effect on 305, **308**
loose-smut mycelium, detection in embryo 641, **642-3**
Rhynchosporium secalis 477
Sclerophthora macrospora 485, **491, 492**
seed sterilization, by heat or propylene oxide, effect of water on 177
barley scald, Rhynchosporium secalis, pathogenic specialization 477
Barrat, J. G. 260
Barrett, James T. 391
Barss, Howard P. 291
Barton, D. W. (628)
basic copper chloride, see under **fungicides**
basic copper sulfate, see under **fungicides**
bean
alfalfa mosaic virus, susceptibility affected by pre-inoculation temperature 550
antibiotic GS1, translocation 391
blackeye, Fusarium oxysporum tracheifilum, effect of Meloidogyne javanica 398
cross-protection, rust fungus and tobacco mosaic virus 228, **230, 231**
garbanzo, Fusarium wilt of 498, **499**
heat injury 39, **44**
root rot
complex in Idaho 197
prime pathogen, Fusarium solani phaseoli 197
rust fungus, cross-protection with tobacco mosaic virus 228, **230, 231**
southern bean-mosaic virus
effect of water and potassium phosphate buffer on 57
effect of some substituted carbamates 517, **518**
tobacco mosaic virus
cross-protection with rust fungus 228, **230, 231**
effect of water and potassium phosphate buffer 57
susceptibility affected by pre-inoculation temperature 550
tobacco streak virus, a new strain 463
translocation of antibiotics 71, **73**
bean rust fungus, see (under **fungi**) Uromyces phaseoli
bean yellow mosaic, see under **viruses**
Beckman, Carl H. 172
bentgrass, Seaside, Rhizoctonia solani on, influence of pH, nutrition, and soil moisture 260
benzimidazole riboside, see under **chemotherapeutants**
big-vein of lettuce, associated with Olpidium brassicae 292
Bingham, F. T. 144
Birchfield, Wray 341
Bird, L. S. 341 (345)
bis(dimethylthiocarbamoyl) disulfide, see under **fungicides**
blackeye bean wilt, see (under **fungi**) Fusarium oxysporum tracheifilum
blank shank of tobacco, see (under **fungi**) Phytophthora parasitica nicotianae
Blackmon, Cyril W. 342
blackspot of rose, see (under **fungi**) Diplocarpon rosae
blast fungus, see (under **fungi**) Piricularia oryzae
blight of celery, see under **celery**
Blodgett, Earle C. 435
Bloom, J. R. 260
blue mold, see (under **fungi**) Peronospora
blueberry, Godronia cassandrae on 277, **279**
blueberry canker, in British Columbia 277, **279**
blueberry stem canker, see (under **fungi**) Botryosphaeria corticis
Bollenbacher, Katharina (343)
book listings 109, 289, 335, 459, 577, 698
Bordeaux mixture, see under **fungicides**
Botryosphaeria, see under **fungi**
Botrytis, see under **fungi**
Bowman, Tully (396)
Boyce, John S., Jr. 516
Boyle, L. W. (530)
Bradley, R. H. E. (121)
Brakke, Myron K. 439
Braverman, Samuel W. 141
Breece, James R. (465)
Brennan, Eileen (400)
broccoli, Verticillium albo-atrum 264
Bromus tectorum, Tilletia bromi-tectorum, biology of 211, **212, 213, 214**
Brown, I. F., Jr. (461)
Brown, R. T. (345)
brown rot of peach, see (under **fungi**) Monilinia fructicola
BTMA, see (under **growth regulators**) sodium-2-benzothiazolylmercaptoacetate
Buhrer, Edna M. (464)
bunt fungus, see (under **fungi**) Tilletia
burrowing nematode, see (under **nematodes**) Radopholus similis
Busch, L. V. 302
cabbage, bacterial fleck of 261
Calavan, E. C. 391
calcium copper chloride, see under **fungicides**
Cameron, J. W. (391)
cantaloup, watermelon mosaic (melon mosaic) virus 393
Cappellini, R. A. 695
captan, see (under **fungicides**) N-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide
carbanilic acid, see under **chemotherapeutants**
carnation
Fusarium roseum, pathogenicity 423
Fusarium roseum cerealis, control with dips and drenches 397
storage rots
flowers and stems, caused by Botrytis cinerea 261
leaves, caused by Alternaria dianthi 261
carnation latent virus, see under **viruses**
Cattleya color-break virus, see under **viruses**
Cattleya necrosis virus, see under **viruses**
cauliflower, Verticillium albo-atrum 264
cedar-apple rust fungus, see (under **fungi**) Gymnosporangium juniperi-virginianae
celery, blight, early and late, gibberellic acid effects 396
Ceponis, M. J. 261
Ceratocystis, see under **fungi**
Ceratostomella, see under **fungi**
Cercospora, see under **fungi**
cereal rusts, chemical control 652, 655, 690
cereals, smutted inflorescences, Fusarium poae associated with Siteroptes graminum 232, **233**
Ceresan, see (under **fungicides**) N-(ethylmercuri)-p-toluenesulfonanilide
Chandler, Philip A. 391
Changsri, Winit 561
Chapman, Richard A. 525
charcoal rot, see under **sorghum**
Chatterjee, Parul 197

chemotherapeutants
benzimidazole riboside, trials in insect vectors 263
carbanilic acid, ester variation, effect on symptoms in beans infected with southern bean mosaic virus 517, **518**
isopropyl carbanilate, ring substitutions, effect on symptoms in beans infected with southern bean mosaic virus 517, **518**
Cherewick, W. J. 232
Cherry, E. (658)
cherry, sour, indexing for necrotic ring spot virus 461
cherry leaf spot fungus, see (under **fungi**) Coccomyces hiemalis
cherry ring spot, isolation of virus-like particles 15, **17**
Childs, J. F. L. 391, 426
Chinn, S. H. F. 553
2-chloro-4-(hydroxymercuri)phenol, see under **fungicides**
p-chlorophenyl p-chlorobenzene sulfonate, see under **fungicides**
Christensen, Clyde M. (544)
Christiansen, D. W. (391)
citrus
citrus Phytophthoras, disease potentials of soils 398
citrus viruses, cross-protection studies 399
Hemicycliophora arenaria, pathenogicity 399
inclusion bodies in 391
orange rootstock, Phytophthora parasitica infection modifying effects of tops 520
Phytophthora citrophthora, destroyer of fibrous feeder roots 616
Phytophthora parasitica, destroyer of fibrous feeder roots 616
protection by Armillaria mellea against Trichoderma viride 392
tristeza virus, responses of seedlings and 4 scion-rootstock combinations 454
citrus nematode, see under **nematode**
Cladosporium, see under **fungi**
Clark, R. V. 305
Clarke, O. F. (391)
Claviceps, see under **fungi**
Clayton, C. N. (345)
Clorox, see (under **fungicides**) sodium hypochlorite
clover
Curvularia trifolii
resistance to, variation with age and species 513
Ladino white
alfalfa mosaic and bean yellow mosaic on 320
five Pythium species on 481, **484**
red
clones as aid in identifying isolates of bean yellow mosaic virus 697
Colletotrichum trifolii, inheritance of resistance 437
epiphytology and etiology of northern anthracnose 326, **328**
five Pythium species on 481, **484**
local-lesion host for bean yellow mosaic virus 369, **370**
northern anthracnose, etiology and epiphytology 326, **328**
Pratylenchus, growth reduction 525
reaction of introductions to Meloidogyne 341
Sclerotinia sclerotiorum, seed-borne mycelium associated with clover seed 388, **389**
sweet, five Pythium species on 481, **484**
white, reaction of introductions to Meloidogyne 341
clover cyst nematode, see (under **nematodes**) Heterodera trifolii
Coccomyces, see under **fungi**
Cochliobolus, see under **fungi**
Cochrane, Vincent W. 623
coffee, Mycena citricolor, control by fungicides, mercury-containing 11, **12**
Cohoon, D. Fred (342) (400)
Cole, Herbert, Jr. 326
Coleus, streptomycin, downward translocation in 392
Colletotrichum, see under **fungi**
Collins, R. P. 349
copper A compound, see (under **fungicides**) calcium copper chloride
Corbett, M. K. 86
corn
deterioration in storage by fungi 544, **547**
Pythium, in seed, uniform cold test 386
Pythium arrhenomanes, infection induced by flooding 345
Sclerophthora macrospora 485, **487, 489, 491, 492, 493**
corn stunt, see under **viruses**
Corticium, see under **fungi**
Corynebacterium, see under **bacteria**
Cotter, Ralph U. (389)
cotton
fungus isolates from diseased seedlings, tested for pathogenicity 343
Fusarium wilt incidence, effect of cutting roots 341
seedling disease complex, chemical control tested 345
vascular discoloration, relation between Meloidogyne incognita and Fusarium oxysporum vasinfectum 661
Verticillium albo-atrum, soil temperature effect 393
Xanthomonas malvacearum, resistance measurement 341
Couch, Houston B. (260), (326)
Coursen, B. W. 460
cowpea
Fusarium wilt incidence, effect of cutting roots 341
heat injury 39, **44**
Cox, Carroll E. (463)
Cox, R. S. (311)
crabgrass, Sclerophthora macrospora 485, **491, 492**
Crittenden, H. W. 461, (461)
Cronartium, see under **fungi**
Crossan, D. F. 55, 248, 461, (463)
Cryptochaete, see under **fungi**
cucumber
antibiotic GS1, translocation 391
Colletotrichum lagenarium, hot-water inactivation in seed 394
heat injury 39, **44**
resistance to Colletotrichum lagenarium 302, **303**
cucumber anthracnose, see (under **fungi**) Colletotrichum lagenarium
cucumber mosaic, see under **viruses**
cucurbit viruses, see under **viruses**
cucurbits
leaf spot disease, Alternaria cucumerina proposed as valid name for causal fungus 343
squash mosaic, virus concentration in leaves, temperature and light effects 98, **99**
Cupravit, see (under **fungicides**) basic copper chloride
curly top, see under **viruses**
cycloheximide, semicarbazone derivative, control of Coccomyces hiemalis 262
Cymbidium mosaic virus, see under **viruses**
Cynnamycin, see under **antibiotics**
Cyprex, see (under **fungicides**) n-dodecylguanidine acetate
Cytovirin, antiviral agent, control of tobacco mosaic 344
2,4-D, see (under **growth regulators**) 2,4-dichlorophenoxyacetic acid
dagger nematodes, see (under **nematodes**) Xiphinema
Daines, Robert H 261, 400
Daly, J. M. 91
dapple apple virus, see under **viruses**
Darley, Ellis F. 392
Davidson, Ross W. 216
Davis, Ralph L. (437)
D-D, see under **nematocides**
Dekker, J. (391)
Dendrobium mosaic virus, see under **viruses**
Desai, M. V. 386
Desjardins, P. R. 392
Dewey, Wade G. 579
DeWolfe, T. A. (520) (616)
Diachun, Stephen 369, 697
1,2-dibromo-3-chloropropane, see under **fumigants**

1,2-dibromoethane, see under **nematocides**
2,4-dichlorophenoxyacetic acid, see under **growth regulators**
Dickerson, O. J. 342
Dickson, J. G. (305)
dieldrin, see under **insecticides**
dihydrostreptomycin, see under **antibiotics**
Diller, J. D. 461
4-dimethylamino-1,4,4a,5,5a,6,11,12a-octahydro-3,5,6,-10,12,12a-hexahydroxy-6-methyl-1,11-dioxo-2-naphthacenecarboxaminide, see under **growth regulators**
(β-[2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl] glutarimide, see under **antibiotics**
Dimond, A. E. (263), (263)
2,4-dinitrophenol, effect on flax resistance to wilt 288
disodium ethylenebis [dithiocarbamate], see under **fungicides**
Dithane D-14, see (under **fungicides**) disodium ethylenebis [dithiocarbamate]
n-dodecylguanidine acetate, see under **fungicides**
Dorlone, see under **nematocides**
Dowfume W-85, see (under **nematocides**) 1,2-dibromoethane
Dowicide A, see (under **fungicides**) sodium o-phenylphenoxide
Dowler, W. M. 392
downy mildew
graminicolous hosts 485, **487**, **489**, **491**, **492**, **493**
pathology and histology 485, **487**, **489**, **491**, **492**, **493**
sorghum parasite, first report 485, **487**, **491**, **493**
downy mildew fungus, see (under **fungus**) Peronospora
DRB, see (under **chemotherapeutants**) benzimidazole riboside
Drolsom, P. N. 686
Dunegan, John C. 460
Dutch elm disease, growth inhibition as therapy 172
dwarf bunt, see (under **fungi**) Tilletia contraversa
Earhart, R. W. 342
Echandi, Eddie 11
EDB, see (under **nematocides**) ethylene dibromide
Edgington, L. V. 324
Eichenmuller, J. J. (165)
Eichhorn, J. L. (426)
Elgetol, see (under **fungicides**) sodium 4,6-dinitro-o-cresoxide
elm, Dutch elm disease
distribution o sexual-compatibility, strains of Ceratocystis ulmi in Massachusetts 263
therapy through growth inhibition 172
elm phloem necrosis, isolation of virus-like particles 15, **17**
Emge, R. G. 649 (696)
Emmi, see (under **fungicides**) 1,4,5,6,7,7-hexachloro-N-(ethylmercuri)bicyclo[2.2.1]hept-5-ene-2,3-dicarboximide
Endo, B. Y. 571
Engelbrecht, David (396)
English, Harley 392
environment
ascospore dissemination of Venturia inaequalis 416
blast fungus on rice 25, **26**
flooding injury of alfalfa 392
formation of infection-type structures of Puccinia graminis tritici on artificial substrates 649, **650-1**
Fusicoccum amygdali growth 400, **401**
irrigation effect on Colletotrichum phomoides on tomato 463
large brown patch, development of 260
lettuce production 311, **311**, **312**
light, growth of Armillaria mellea 397
Physoderma maydis, germination of resting sporangia 102
post-harvest
deterioration by fungi of stored corn 544, **547**
Rhizopus stolonifer on peach 464
prediction of weather favoring Phytophthora infestans 399
Puccinia graminis tritici on wheat 371
Sclerotium rolfsii growth 342
soil, effect on pine response to atmospheric fluorides 393
environment (continued)
sorghum kernel smut 22
squash mosaic, concentration in cucurbit leaves 98, **99**
temperature effects, see under **temperature**
Tilletia contraversa in winter wheat 565
woods exposed to Merulius lacrymans 461
enzymes, produced by Sclerotium rolfsii 338
Erwin, D. C. 392, 498
Erwinia, see under **bacteria**
Erysiphe, see under **fungi**
ethylene dibromide, see under **nematocides**
N-(ethylmercuri)-p-toluenesulfonanilide, see under **fungicides**
Eukel, Warren E. (396)
fanleaf, see under **viruses**
Farabee, G. J. 209
Farkas, G. L. 392
Farr, Wanda K. 261
Farrar, Luther L. 342
Feder, William A. 393
Feldmesser, Julius 393
ferbam, see (under **fungicides**) ferric dimethyldithiocarbamate
Fermate, see (under **fungicides**) ferric dimethyldithiocarbamate
ferment gum disease, see under **fungi**
ferric dimethyldithiocarbamate, see under **fungicides**
Ferver, A. F. 461
fescue, Paratylenchus projectus, host parasite relations 460
fig, Phomopsis cinerescens, reduction with physical and chemical methods 392
Fink, Harry C. 261, 461
fire blight canker, on apple and pear, Bacterium sp. isolated from, Erwinia amylovora inhibited by 209
Flados, N. D. 342
flax
Melampsora lini, mutation to wider virulence 297
resistance to wilt, effect of chemicals 288
flax wilt, see (under **fungi**) Fusarium oxysporum lini
Flor, H. H. 297
fly speck, see (under **fungi**) Microthyriella rubi
forage crops, snow mold, in Alaska and Yukon 148, **149**
Forbes, I. L. (398)
Forsyth, F. R. (655)
Foster, H. H. 342, 343
Freitag, J. H. 393
Friedman, B. A. 261, (261)
frog-eye leaf spot, see (under **fungi**) Cercospora sojina
Frohlich, Hans P. (652), (690)
Fulkerson, J. F. 461
Fulton, N. D. 343
fumigants
1,2-dibromo-3-chloropropane
control of peach root-knot 342
Heterodera glycines 571, **572-3**
1,3-dichloropropene; **1,2-dichloropropane,** Heterodera glycines 571, **572-3**
1,3-dichloropropenes, Heterodera glycines 571, **572-3**
lettuce production 311, **311**, **312**
Meloidogyne control on peach 342
methyl bromide, Heterodera glycines 571, **572-3**
Nemagon, see (under **nematocides** and **fumigants**) 1,2-dibromo-3-chloropropane
fungi
Alternaria cucumerina
proposed as valid name for A. nigrescens 343
taxonomy and host range 343
Alternaria dianthi, storage leaf rot of carnation 261
Alternaria nigrescens, proposed as synonym for A. cucumerina 343
amino acid spectrum of mycelium 461
anthracnose
amino acid content in hydrolysates from several 55
sugar content of mycelium 55
Aphanomyces cochlioides, host range 463

fungi (continued)
Armillaria mellea
growth in culture, effect of light 397
role against Trichoderma viride 392
Ascochyta, relationships of 7 in N. Carolina 248, **250, 251, 252, 253**
Ascochyta abelmoschi, proposed as tentatively synonymous with A. phaseolorum 248, **250, 251, 252, 253**
Ascochyta althaeina, proposed as tentatively synonymous with A. phaseolorum 248, **250, 251, 252, 253**
Ascochyta capsici, proposed as tentatively synonymous with A. phaseolorum 248, **250, 251, 252, 253**
Ascochyta gossypii, proposed as tentatively synonymous with A. phaseolorum 248, **250, 251, 252, 253**
Ascochyta lycopersici, proposed as tentatively synonymous with A. phaseolorum 248, **250, 251, 252, 253**
Ascochyta nicotianae, proposed as tentatively synonymous with A. phaseolorum 248, **250, 251, 252, 253**
Ascochyta phaseolorum, proposed as tentatively synonymous: A. abelmoschi, A. gossypii, A. althaeina, A. nicotianae, A. capsici, and A. lycopersici 248, **250, 251, 252, 253**
Ascochyta pisi, control with antibiotic GS1 391
Aspergillus, peanut seed rot control, water-soak method 502, **503**
Aspergillus carbonarius, conidiophores, cell-wall structure and composition 261
Aspergillus flavus, highly pathogenic to cotton 343
Aspergillus niger, conidiophores, cell-wall structure and composition 261
Botryosphaeria corticis, associative interaction among isolates 345
Botryosphaeria ribis
amino acid spectrum 461
control with fungicides 461
cellulolytic activity of 263
Botrytis
eradicative control on gladiolus 395
strawberries, testing fungicides, a field method 343
Botrytis allii
inhibited by antibiotic Cinnamycin 395
irradiation for control on onion 345
Botrytis cinerea
on carnation, cause of storage rots 261
ionizing radiation on 396
Ceratocystis fagacearum, histology of infected oaks 556, **558**
Ceratocystis ulmi, distribution of sexual-compatibility strains in Massachusetts 263
Ceratostomella ulmi, therapy in Dutch elm disease 172
Cercospora
controlled on Photinia serrulata with fungicides 341
isolation by sub-culturing 287
Cercospora apii, celery susceptibility, gibberellic acid influence 396
Cercospora musae, inhibited by antibiotic Cinnamycin 395
Cercospora sojina, soybean resistance, inheritance 414
Cladosporium carpophilum, wettable sulfur as eradicant fungicide 343
Cladosporium cucumerinum, extracellular pectic and cellulolytic enzymes of 316
Claviceps paspali, resistance to in fertilized florets 345
Claviceps purpureae, inhibited by antibiotic Cinnamycin 395
Cochliobolus nodulosos, inheritance of sex reaction 344
Coccomyces hiemalis, control by cycloheximide semicarbazone 262
Colletotrichum
attacking pepper: taxonomy, etiology and control 464
cause of apparently new disease of azalea 256, **257**
Colletotrichum capsici
amino acid
content of mycelium 55
spectrum 461
sugar content of mycelium 55
fungi (continued)
Colletotrichum gossipii, highly pathogenic to cotton 343
Colletotrichum lagenarium
amino acid content of mycelium 55
hot-water inactivation in seed 394
physiological specialization 79, **81**
resistance in cucumber 302, **303**
sugar content of mycelium 55
Colletotrichum phomoides, environment effects 463
Colletotrichum tabacum
amino acid and sugar content of mycelium 55
Colletotrichum trifolii, resistance in red clover 437
control, water-soak method 502, **503**
Corticium radiosum, on Colorado trees 216, **217**
Cronartium fusiforme
anatomy of galls on pine 637
spread from cankers on pine 394
Cronartium ribicola, uredospore germination, aspartic and glutamic acid as self-inhibitors 595
Cryptochaete polygonia, isolated from main stem decay in trembling aspen 216, **217**
Curvularia trifolii
host range 513
over-wintering 513
sporulation, agar depth effect 513
deterioration of stored corn by 544, **547**
Diplocarpon rosae, winter treatments of dormant rose 408, **409**
Diplodia zeae, inhibited by antibiotic Cinnamycin 395
Erysiphe cichoracearum
distribution, host range, and origin 538, **539, 542**
single-conidial isolates method 390
Erysiphe graminis hordei
genes conditioning resistance in barley 463
resistance of barley 601
Erysiphe graminis tritici, anisomycin, effect of 37, **474, 475, 476**
ferment gum disease, attributed to unidentified fungus 391
Fusarium
control in seed rots, water-soak method 502, **503**
moderately pathogenic to cotton 343
nematode relation to wilt development 344
peanut seed rot, control, water-soak method 502, **503**
wilt of garbanzo bean, incitant, Fusarium lateritium ciceri n.f. 498, **499**
Fusarium lateritium ciceri, new forma specialis name proposed 498
Fusarium oxysporum, formae invasion, crops other than forma suscept 224
Fusarium oxysporum lini
resistance to affected by chemicals 288
pathogenic races 394
Fusarium oxysporum lycopersici
calcium and boron effect on 324
production of cellulase by 263
respiratory responses in tomato 349
Fusarium oxysporum tracheifilum, effect of Meloidogyne javanica 398
Fusarium oxysporum vasinfectum, Meloidogyne incognita relation to vascular discoloration 661
Fusarium poae, cereals, associated with Siteroptes graminum 232, **233**
Fusarium roseum, pathogenicity to carnation and wheat 423
Fusarium roseum cerealis, on carnation, control with dips and drenches 397
Fusarium solani cucurbitae, control with antibiotic GS1 391
Fusarium solani phaseoli
population estimates in soil 126
prime pathogen in root rot of bean 197
Fusarium wilt, incidence affected by cutting roots 341
Fusicoccum amygdali
on peach, control by nutrition, defoliation, and fungicides 400, **401**
called cause of peach constriction 522, **522, 523, 524**

fungi (continued)
Fusicoccum viticolum, rejected in favor of binomial Phomopsis viticola 192, **193, 194, 195**
Gleosporium piperatum
amino acid content of mycelium 55
sugar content of mycelium 55
Gloeodes pomigena, time of apple fruit infection 462
Glomerella cingulata, cellulolytic activity of 263
Godronia cassandrae, on blueberries in British Columbia 277, **279**
Gymnosporangium juniperi-virginianae, control with dodecylguanidine derivatives 262
Helicobasidium corticioides, on subalpine fir in Colorado 216, **217**
Helminthosporium
inhibited by antibiotic Cinnamycin 395
longevity under mineral oil 695
oat yellowing associated with 342
Helminthosporium sativum
control in seed rots, water-soak method 502, **503**
oat seed rot, control, water-soak method 502, **503**
temperature effect on 305, **308**
Helminthosporium turcicum, perfect stage 281, **283**
Helminthosporium victoriae, victorin, toxin produced by, metabolic studies 394
inactivation of 2-chloro-4-(hydroxymercuri)phenol 396
isolates from diseased cotton, pathogenicity tested 343
isolation from soil, method and factors affecting 394
Itersonilia perplexans, on sunflower in Uruguay 108, **108**
Kabatiella caulivora, etiology and epiphytology on red clover 326, **328**
leaf streak, see (under **fungi**) Scolecotrichum graminis
Melampsora lini, mutation to wider virulence 297
Merulius lacrymans, wood weight losses 461
Microthyriella rubi, time of apple fruit infection 462
Monochaetia pinicola, cause of twig blight of pine 515, **516**
Monolinia fructicola
effect of holding temperature of hydrocooled peaches 462
peach rot as affected by hydrocooling, fungicides, and temperature 322
Mycena citricolor, inhibition by fungicides 11, **12**
Myrothecium verrucaria, used for biological assay of nonvolatile diffusible fungicides in soil 61
natural soil fungitoxicity from Streptomyces spp. 395
Neurospora sitophila, spore respiration 623
new species, Septoria tageticola, on marigold 561, **562-3-4**
newly reported to infect living trees: Corticium radiosum, Helicobasidium corticioides, Cryptochaete polygonia, Peniophora luna 216, **217**
Olpidium brassicae, associated with big-vein disease of lettuce 292
Penicillium
control in seed rots, water-soak method 502, **503**
peanut seed rot, control, water-soak method 502, **503**
Peniophora luna, in lodgepole pine in Colorado 216, **217**
Peronospora manshurica, four new races 83, **85**
Peronospora tabacina, spore dissemination 46, **49**
Phomopsis, spore form, effect of substrate 396
Phomopsis cinerescens, reduction with physical and chemical methods 392
Phomopsis viticola, favored over binomial Fusicoccum viticolum 192, **193, 194, 195**
Physalospora obtusa, cellulolytic activity of 263
Physoderma maydis, environment effect on germination of resting sporangia 102
Phytophthora, on strawberry and loganberry 129, **130**
Phytophthora cinnamomi
on avocado, effects of host nutrition 144
resistance in avocado 399
Phytophthora citrophthora
destroyer of fibrous feeder roots 616
disease potential of soil 398

fungi (continued)
Phytophthora fragariae, on strawberry and loganberry 129, **130**
Phytophthora infestans
mating types and oospores in Mexico 274, **275, 276**
oospore production and germination 165, **168**
prediction of favoring weather 399
Phytophthora parasitica
destroyer of fibrous feeder roots 616
disease potential of soil 398
on orange rootstock, modifying effects of tops 520
Phytophthora parasitica nicotianae, nematode effect on 343, **344**
Phytophthora sojae n. sp., cause of root and stem rot of soybean 201, **203**
Piricularia oryzae
environmental influence on 25, **26**
germination of spores, chemical stimulation 7
rice resistance, silicon content as factor 179
Plenodomus meliloti, on forage crops in Alaska and Yukon 148, **149**
Pseudoplea trifolii, complex with Stemphylium botryosum 365, **367**
Puccinia carthami
control of seed-borne safflower rust 640
control with volatile mercury fungicide, temperature effects 398
internal uredial sori, reversed polarity of 178, **178**
safflower
auxin level changes in hypocotyls 91
seed-borne rust control 640
uredospore germination, aspartic and glutamic acid as self-inhibitors 595
Puccinia coronata avenae, antagonism with P. recondita 69, **70**
Puccinia graminis, germtube fusions 358, **360**
Puccinia graminis avenae, new and virulent culture 389
Puccinia graminis tritici
abundant sporulation, tissue transplant technique 696, **696**
inoculating wheat leaves with more than one race 387, **388**
infection process
effect of light, moisture, and temperature 469, **471, 472**
formation of infection-type structures on artificial substrates 649, **650-1**
progeny from race 111, 644
pustule development, related to peduncle sclerenchyma, tissue of Nugget wheat 518, **519**
uredial infection, temperature effect 658, **659**
uredospore germination, aspartic and glutamic acid as self-inhibitors 595
wheat
effect of environment 371
yields 343
Puccinia helianthi, uredospore germination, aspartic and glutamic acid as self-inhibitors 595
Puccinia polygoni-amphibii persicariae, uredospore germination, aspartic and glutamic acid as self-inhibitors 595
Puccinia recondita, antagonism with P. coronata avenae 69, **70**
Puccinia rubigo-vera secalis, chemical control 652, 655, 690
Pyrenochaeta terrestris, treatment with 2 fungicides 398
Pythium
associated with disease of Melilotus indica 395
susceptibility to, effect of seedling age, alfalfa, red clover, Ladino white clover, and sweetclover 481, **484**
5 species on alfalfa, sweetclover, red clover, and Ladino white clover 481, **484**
highly pathogenic to cotton 343
on loganberry and strawberry 129, **130**
uniform seed corn cold test 386
Pythium arrhenomanes, infection induced in sugarcane and corn 345

fungi (continued)
Pythium debaryanum, on alfalfa, sweetclover, red clover, and Ladino white clover, seedling age, effect of 481, **484**
Pythium irregulare, on alfalfa, sweetclover, red clover, and Ladino white clover 481, **484**
Pythium paroecandrum, on alfalfa, sweetclover, red clover, and Ladino white clover 481, **484**
Pythium splendens, on alfalfa, sweetclover, red clover, and Ladino white clover 481, **484**
Pythium ultimum, on alfalfa, sweetclover, red clover, and Ladino white clover 481, **484**
Rhizoctonia
control in seed rots, water-soak method 502, **503**
peanut seed rot, control, water-soak method 502, **503**
Rhizoctonia solani
development on Seaside bentgrass as affected by pH, nutrition, and soil moisture 260
highly pathogenic to cotton 343
inhibited by antibiotic Cinnamycin 395
reaction to chemicals 398
Rhizophagus, synthesis of mycorrhiza 391
Rhizopus
control in seed rots, water-soak method 502, **503**
peanut seed rot, control, water-soak method 502, **503**
Rhizopus stolonifer
effect of holding temperature of hydrocooled peaches 462
peach post-harvest environment 464
peach rot affected by hydrocooling, fungicides, and temperature 322
Rhynchosporium secalis, pathogenic specialization on barley 477
Scirrhia acicola, comparison of isolates from pine 398
Sclerophthora macrospora
graminicolous hosts 485, **487, 489, 491, 492, 493**
pathology and histology 485, **486, 489, 491, 492, 493**
sorghum parasite first report 485, **487, 491, 493**
Sclerotinia borealis, on forage crops in Alaska and Yukon 148, **149**
Sclerotinia (Monolinia) fructicola, effect of gaseous emanations from Prunus fruits 396
Sclerotinia sclerotiorum
penetration and infection 605
sclerotial germination, D-D and components, effect of 519
seed-borne mycelium associated with clover seed 388, **389**
Sclerotium
control in seed rots, water-soak method 502, **503**
peanut seed rot, control, water-soak method 502, **503**
Sclerotium rolfsii
antibiotics and fungicides on 463
association with Pratylenchus brachyurus in peg rot of peanuts 530, **531**
cellulolytic enzymes produced by 338
control with pentachloronitrobenzene 343, 346
ecological factors affecting growth 342
Scolecotrichum graminis
on orchardgrass 141
on tall oatgrass 141
on timothy 141
Septoria apii-graveolentis, celery susceptibility, gibberellic acid influence 396
Septoria tageticola, new species causing leafspot of marigold 561, **562-3-4**
Sphacelotheca, crosses, interspecific, behavior of solopathogens 494, **496**
Sphacelotheca cruenta, crossed with S. reiliana 494
Sphacelotheca reiliana
crossed with S. cruenta 494
crossed with S. sorghi 494, **496**
Sphacelotheca sorghi
crossed with S. reiliana 494, **496**
environmental influence on 22
fungi (continued)
Stemphylium botryosum, complex with Pseudoplea trifolii 365, **367**
Stereum sanguinolentum, on Norway spruce, associated with pruning wounds 337, **338**
Streptomyces, cause of natural soil fungitoxicity 395
Streptomyces ipomoea, reaction of sweet potato varieties 445, **446**
Thielaviopsis basicola
highly pathogenic to cotton 343
population estimates in soil 126
Tilletia bromi-tectorum, biology 211, **212, 213, 214**
Tilletia contraversa
factors affecting development in winter wheat 565
germination studies with spores 579
Trichoderma viride, resistance by Armillaria mellea 392
Typhula idahoensis, on forage crops in Alaska and Yukon 148, **149**
Uromyces phaseoli, carbon dioxide fixation by 264
Uromyces phaseoli typica
cross-protection with tobacco mosaic virus on bean 228, **230, 231**
uredospore germination, aspartic and glutamic acid as self-inhibitors 595
Ustilago tritici, embryo examination for mycelium 19, **19, 20, 21**
Venturia inaequalis
control with dodecylguanidine derivatives 262
dissemination of ascospores 416
Verticillium albo-atrum
on broccoli and cauliflower 264
resistance of potatoes 268
soil temperature effect 393
thermal death range 613
wilt of garden stock 610
Verticillium albo-atrum menthae, control by deep plowing 575, **576**
fungicides
anisomycin, effect on Erysiphe graminis tritici 474, **475, 476**
Anticarie, see (under **fungicides**) hexachlorobenzene
basic copper chloride, on Mycena citricolor 11, **12**
basic copper sulfate
control of cercospora leafspot of Photinia serrulata 341
Fusicoccum canker of peach 400, **401**
on Mycena citricolor 11, **12**
bioassay in soil 61
bis[di(dodecylmethylbenzyl)-2-hydroxyethylamine] nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
bis[N,N-di(2-hydroxyethyl)dodecylmethylbenzylamine] nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
bis[N,N-di(2-hydroxyethyl)-5,5,7,7,-tetramethyl-2-octenylamine] nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
bis(dimethylthiocarbamoyl) disulfide
Fusicoccum canker of peach 400, **401**
on apple, effect on finish and mites 261
bis[N-(2-hydroxyethyl)dodecylbenzylamine] nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
bis[N-(2-hydroxyethyl)dodecylmethylbenzylamine] nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
bis[N-(2-hydroxyethyl)5,5,7,7-tetramethyl-2-octenylamine] nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
bis-imidazoline made from Emory Dimer acid and ethylenediamine complexed with nickel (II) chloride, Puccinia rubigo-vera secalis 653, 690
Bordeaux mixture
control of cercospora leafspot of Photinia serrulata 341
Fusicoccum canker of peach 400, **401**
calcium copper chloride, control of cercospora leafspot of Photinia serrulata 341
calcium cyanamid, Fusicoccum canker of peach 400, **401**
captan, see (under **fungicides**) N-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide

fungicides (continued)
Ceresan, see (under **fungicides**) N-(ethylmercuri)-p-toluenesulfonanilide
2-chloro-4-(hydroxymercuri)phenol
biological assay of in soil 61
inactivation by fungi 396
persistence in soil 581
copper sulfate, sub-lethal amounts, effect on amino acid spectrum of Colletotricum capsici 461
corrosion of metals by ten 508, **509, 510, 511**
Cupravit, see (under **fungicides**) basic copper chloride
cyano (methylmercuri) guanidine
control of Fusarium roseum cerealis on carnation 397
corrosion of metals by 508, **509, 510, 511**
Cyprex, see (under **fungicides**) n-dodecylguanidine acetate
2,4-dichloro-6-(o-chloroanilino)-s-triazine, Fusicoccum canker of peach 400, **401**
2,3-dichloro-1,4-naphthoquinone, Fusicoccum canker of peach 400, **401**
3-[2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl] glutarimide, control of seed-borne safflower rust 640
3,5-dimethyltetrahydro-1,3,5-2H-thiadiazine-2-thione, effect on Pyrenchaeta terrestris 398
disodium ethylenebis[dithiocarbamate]
biological assay of in soil 61
control of cotton seedling disease complex 345
Fusicoccum canker of peach 400, **401**
persistence in soil 581
reaction of Rhizoctonia solani 398
distribution of in-the-furrow applications 345
Dithane D-14, see (under **fungicides**) disodium ethylenebis[dithiocarbamate]
n-dodecylguanidine acetate, on apple, effect on finish and mites 261
effect on
apple finish and mite populations 261
brown rot and Rhizopus rot of peach 322
effective life, control of Gloeodes pomigena and Microthyriella rubi 462
Elgetol, see (under **fungicides**) sodium 4,6-dinitro-o-cresoxide
Emmi, see (under **fungicides**) 1,4,5,6,7,7-hexachloro-N-(ethylmercuri)bicyclo[2.2.1]hept-5-ene-2,3-dicarboximide
eradicative, for control of gladiolus botrytis 395
N-(ethylmercuri-p-toluenesulfonanilide
corrosion of metals by 508, **509, 510, 511**
on wheat seed, injury or toxicity to 219
ferbam, see (under **fungicides**) ferric dimethyldithiocarbamate
ferric dimethyldithiocarbamate
biological assay of in soil 61
control of cercospora leafspot of Photinia serrulata 341
control of Fusarium roseum cerealis on carnation 397
Fusicoccum canker of peach 400, **401**
persistence in soil 581
field test method, Botrytis rot of strawberries 343
Fusarium roseum cerealis, control on carnation 397
glyodin, see (under **fungicides**) 2-heptadecyl-2-imidazoline acetate
2-heptadecyl-2-imidazoline acetate
Fusicoccum canker of peach 400, **401**
on apple, effect on finish and mites 261
hexachlorobenzene, corrosion of metals by 508, **509, 510, 511**
1,4,5,6,7,7-hexachloro-N-(ethylmercuri)bicyclo[2.2.1]hept-5-ene-2,3-dicarboximide, on Mycena citricolor 11, **12**
high-pressure field-plot sprayer 394
Hostaquick, see (under **fungicides**) phenylmercury acetate
Karathane, see (under **fungicides**) 2-(1-methylheptyl)-4,6-dinitrophenyl crotonate and isomers
manganous ethylenebis[dithiocarbamate]
Colletotrichum on pepper 464
Fusicoccum canker of peach 400, **401**

fungicides (continued)
MEMA, see (under **fungicides**) 2-methoxyethylmercury acetate **511**
mercury, effect on wheat germination, stand, and yield 219
Mer-sol, corrosion of metals by 508, **509, 510, 511**
Metasol M, corrosion of metal by 508, **509, 510, 511**
2-methoxyethylmercury acetate, corrosion of metal by 508, **509, 510, 511**
2-(1-methylheptyl)-4,6-dinitrophenyl crotonate and isomers, apple powdery mildew control, timing and rates 262
mono-calcium arsenite, Fusicoccum canker of peach 400, **401**
nabam, see (under **fungicides**) disodium ethylenebis[dithiocarbamate]
natural soil fungitoxicity, from Streptomyces spp. 395
nickel salt amine complexes, cereal rusts control 652, 655, 690
non-volatile, diffusible
biological assay of in soil 61
persistence in soil 581
on Sclerotium rolfsii in laboratory 463
Ovex, see (under **fungicides**) **p**-chlorophenyl **p**-chlorobenzene sulfonate
Panogen, see (under **fungicides**) cyano(methylmercuri) guanidine
pentachloronitrobenzene
bioassay test for 261
biological assay of in soil 61
control of cotton seedling disease complex 345
control of Sclerotium rolfsii 343, 346
reaction of Rhizoctonia solani 398
phenylmercury acetate, on Mycena citricolor 11, **12**
phenylmercury triethanol ammonium lactate, Fusicoccum canker of peach 400, **401**
Phix, see (under **fungicides**) phenylmercury acetate
polyethylene thiuram sulfide, on apple, effect on finish and mites 261
potato stands and yields depressed 261
Puratized Agricultural Spray, see (under **fungicides**) tris-(2-hydroxyethyl) (phenylmercuri)ammonium lactate
reduction of Phomopsis in fig 392
semesan, see (under **fungicides**) 2-chloro-4-(hydroxymercuri)phenol
sodium 4,6-dinitro-o-cresoxide, on Mycena citricolor 11, **12**
sodium hypochlorite, effect on brown and Rhizopus rots of peach 322
sodium N-methyldithiocarbamate dihydrate, effect on Pyrenochaeta terrestris 398
sodium o-phenylphenoxide, effect on brown and Rhizopus rots of peach 322
sub-lethal amounts, effect on amino acid spectrum of fungus mycelium 461
sulfur, Botryosphaeria ribis control 461
Terraclor, see (under **fungicides**) pentachloronitrobenzene
tests for control of blackspot and spider mite on rose 408, **409**
Thioneb, see (under **fungicides**) polyethylene thiuram sulfide
thiram, see (under **fungicides**) bis(dimethylthiocarbamoyl) disulfide
Tri-Basic, see (under **fungicides**) basic copper sulfate
N-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide
biological assay in soil 61
Botryosphaeria ribis control 461
control of cercospora leafspot of Photinia serrulata 341
control of cotton seedling disease complex 345
control of Sclerotium rolfsii 346
fungitoxicity of, chemical reactions involved in 235, 263
Fusicoccum canker of peach 400, **401**
on apple, effect on finish and mites 261
on carnation cuttings, controlled storage rots 261
persistence in soil 581
reaction of Rhizoctonia solani 398
sub-lethal amounts, effect on amino acid spectrum of Botryosphaeria ribis 461

fungicides (continued)
tris(2-hydroxyethyl) (phenylmercuri)ammonium lactate, on Mycena citricolor 11, **12**
wettable sulfur, eradicant of peach scab 343
zinc dimethyldithiocarbamate, Fusicoccum canker of peach 400, **401**
zinc ethylenebis[dithiocarbamate]
Botryosphaeria ribis control 461
Colletotrichum on pepper 464
control of cotton seedling disease complex 345
Fusicoccum canker of peach 400, **401**
on carnation cuttings, controlled storage rots 261
zinc salt of 2-pyridinethione-1-oxide, Fusicoccum canker of peach 400, **401**
zinc sulfate, Fusicoccum canker of peach 400, **401**
zineb, see (under **fungicides**) zinc ethylenebis[dithiocarbamate]
fusaric acid, mechanism of injury to tomato 670
Fusarium, see under **fungi**
Fusarium wilt, see (under **fungi**) Fusarium
Fusicoccum, see under **fungi**
fusiform gall rust, see (under **fungi**) Cronartium fusiforme
Futrell, M. C. (343), (387)
Galindo, J. (274)
Gallegly, M. E. (165), 274
garbanzo bean, wilt, incited by Fusarium lateritium ciceri n.f. 498, **499**
Garber, E. D. 535
Garber, R. H. 393
Garrett, W. N. 343, (387)
Gasiorkiewicz, E. C. 261, 261
Gäumann, Ernst 670
Geis, J. R. 387
Gerdemann, J. W. (201)
Giamalva, M. (394)
gibberellic acid, control tests, on cotton seedling disease complex 345
Gilmer, R. M. 262, 262, 432
gladiolus, Botrytis, control with eradicative fungicides 395
Glassick, C. E. (690)
Gleosporium, see under **fungi**
globe amaranth, in quantitative work, with red clover vein mosaic virus 336, **336**
Gloeodes, see under **fungi**
Glomerella, see under **fungi**
glyodin, see (under **fungicides**) 2-heptadecyl-2-imidazoline acetate
Godronia, see under **fungi**
Goheen, A. C. 51, (393), (586)
golden nematode, see (under **nematodes**) Heterodera rostochiensis
Good, J. M. 530
Goode, Monroe J. 79
Goodman, R. N. (392)
Goplen, B. P. (347)
Goth, R. W. 494
Gothoskar, S. S. (362)
Gough, F. J. (165)
Graham, T. W. 343, (686)
grape
Botrytis cinerea, ionizing radiation on 396
dead-arm disease of vine, etiology of 192, **193, 194, 195**
fanleaf, transmission by Xiphinema index 393
leafroll, identified with white Emperor disease 51, **53**
white Emperor disease, identified with leafroll 51, **53**
Xiphinema index, vector of soil-borne fanleaf virus 586
grapefruit, ferment gum disease, attributed to unidentified fungus 391
grass, Kentucky blue grass, effect of Helicotylenchus on 397
Gray, Reed A. 71
gray-mold neck rot, see (under **fungi**) Botrytis allii
Green, Ralph J., Jr. 575
Grogan, R. G. 292, 393, (538)
Groves, A. B. 262
growth regulators
auxin, level in safflower hypocotyls, changes with infection by Puccinia carthami 91
BTMA, see (under **growth regulators**) sodium-2-benzothiazolylmercaptoacetate
2,4-dichlorophenoxyacetic acid
in Dutch elm disease therapy 172
on Paspalum, for control of Claviceps paspali 345
4-dimethylamino-1,4,4a,5,5a,6,11,12a-octahydro-3,5,6,10,12,12a-hexahydroxy-6-methyl-1,11-dioxo-2-naphthacenecarboxaminide, in Dutch elm disease therapy 172
indoleacetic acid, on Paspalum, control of Claviceps paspali 345
4,5-MTMA, see (under **growth regulators**) sodium 4,5-dimethyl-2-thiazolylmercaptoacetate
oxytetracycline, see (under **growth regulators**) 4-dimethylamino-1,4,4a,5,5a,6,11,12a-octahydro-3,5,6,10,12,12a-hexahydroxy-6-methyl-1,11-dioxo-2-naphthacenecarboxaminide
sodium-2-benzothiazolylmercaptoacetate, in Dutch elm disease therapy 172
GSI, see under **antibiotics**
Guba, E. F. 522
Gymnosporangium, see under **fungi**
Haenseler, C. M. (695)
Hagedorn, D. J. (451)
Halisky, P. M. (393)
Hall, D. H. (393)
Halpin, J. E. 481
Hamilton, James M. 262, 262
Hammons, R. C. (530)
Hanson, E. W. (481)
Harmon, F. J. (51)
Harrison, A. L. 343
Harrison, D. S. (311)
Harrison, William C. 393
Haunold, Ernst 411
heat inactivation
Colletotrichum lagenarium, in cucumber seed 394
orchid virus isolates 132, **134**
virus infections, effect on 39, **44**
Hebert, T. T. 102
Heggestad, Howard E. (535)
Helicobasidium, see under **fungi**
Helicotylenchus, see under **nematodes**
Helminthosporium, see under **fungi**
Hemicycliophora, see under **nematodes**
Hendrix, Floyd F., Jr. 224
Hendrix, J. Walter (393)
Henson, Lawrence (369), (697)
2-heptadecyl-2-imidazoline acetate, see under **fungicides**
Heterodera, see under **nematodes**
Heuberger, J. W. 461
Hewitt, Wm. B. (292), 393, 586
hexachlorobenzene, see under **fungicides**
1,4,5,6,7,7-hexachloro-N-(ethylmercuri)bicyclo [2.2.1] hept-5-ene-2,3-dicarboximide, see under **fungicides**
Hickey, K. D. 462, (462)
Hildebrand, E. M. 262, 462, 462
Hillis, A. M. (345)
Hinds, Thomas E. (216)
Hollis, John P. 661
Holmes, F. W. 263
Holton, C. S. (508)
Horn, Norman L. 343, 394
Hostaquick, see (under **fungicides**) phenylmercury acetate
Houston, Byron R. 394
Hsi, C. H. 22
Huffman, M. D. (69)
Hunt, O. J. (320)
Husain, Akhtar 155, 263, 263, 316, 338, 377
indoleacetic acid, see under **growth regulators**
Inman, R. E. (91)
inoculation, effectiveness, water and potassium phosphate buffer 57

insecticides
p-chlorophenyl p-chlorobenzene sulfonate, on apple, effect on finish and mites 261
dieldrin, on apple, effect on finish and mites 261
effect on wheat germination, stand, and yield 219
piperonyl butoxide and pyrethrins, injury or toxicity to wheat seed 219
Pyrenone, see (under **insecticides**) piperonyl butoxide and pyrethrins
insects
Macrosteles fascifrons, cytopathogenic effects of aster yellows virus 263
Siteroptes graminum, in smutted inflorescences of cereals, associated with Fusarium poae 232, **233**
internal cork, see under **sweet potato**
Itersonilia, see under **fungi**
Ivanoff, S. S. 502
Jackson, A. R. (394)
Jackson, Curtis R. 343
Jackson, L. W. R. 637
Jaffe, M. J. (261)
Jenkins, W. R. (460), (463)
Jensen, D. D. 394
Jensen, N. F. (565)
Jewell, F. F. 394
Johnson, H. B. (345)
Johnson, K. W. 451
Johnston, C. O. 69
Jones, John P. 287
Kabatiella, see under **fungi**
Kahn, Robert P. 25, 57, (179)
Kantack, E. J. (395), 521
Karathane, see (under **fungicides**) 2-(1-methylheptyl)-4,6-dinitrophenyl crotonate and isomers
Kaufmann, M. J. 201
Keil, H. L. 652, 690
Kelman, Arthur (102), (155), (377)
Kemp, Carolyn E. (395)
Kendrick, J. B., Jr. 394
KenKnight, Glenn 331
Kernkamp, M. F. (494)
Kilpatrick, R. A. 513
Kimble, K. A. (292), (393)
Kingsolver, C. H. (469), (658)
Kivilaan, A. 185
Klotz, L. J. 520, 616
Knowles, P. F. (394)
Koch, E. J. (461)
Kortsen, R. A. (393)
Kreitlow, K. W. 320
Krupka, Lawrence R. 394
Krusberg, L. R. 30
Kuntz, J. E. (556)
Lamey, H. A. (165)
Lane, Geo. H. 394
Lange, C. T. 658
Larson, R. H. (391)
late blight, see (under **fungi**) Phytophthora infestans
Leach, Charles M. 388
leafroll of grapes, see under **viruses**
leaf streak, see (under **fungi**) Scolecotrichum graminis
LeBeau, J. B. 148
Ledingham, G. A. (392)
Lee, Shu-fung 268
Leguminosae, Kabatiella caulivora, tested on 43 species 326
Lehman, S. G. 83
Lehman, W. F. (392)
lemon (see also citrus)
rough, Hemicycliophora arenaria on 399
tristeza-diseased seedlings, anatomy 397
Leone, Ida (400)
Le Tourneau, Duane (268)
lettuce
big-vein, associated with Olpidium brassicae 292
lettuce (continued)
effect on production, bacterial soft rot, water table, nitrogen, and soil fumigation 311, **311, 312**
Erysiphe cichoracearum, distribution, host range, and origin 538, **539, 542**
Pseudomonas marginalis 261
lettuce powdery mildew, see (under **fungi**) Erysiphe cichoracearum
Lewis, F. H. 462, (462)
Libby, John L. (25), (57)
lily, pathogen-free from cultured bulb-scales 391
lime, tristeza virus 454
Lindberg, G. D. 395
Lindenfelser, Lloyd A. 395
Littau, Virginia C. 263
Livingston, J. E. (261)
Lockwood, John L. 150 (209), 395
loganberry, red stele root disease 129, **130**
Logsdon, Charles E. (148)
loose-smut mycelium, detection 464,**642-3**
Lownsbery, B. F. 395
Lucas, G. B. 344
Lukens, Raymond J. 235, 263
lupine, bean yellow mosaic on 86
Luttrell, E. S. 281, 344
Lynch, D. L. (55)
Lyon, C. B. (655)
McClellan, W. D. 408
McClure, T. T. 322, 462, (464)
McDonald, W. C. 365
McEwen, F. L. (262)
McGrew, J. R. 462
McGuire, James M. 344
McKeen, W. E. 129, 277
Macrosteles, see under **insects**
Magie, R. O. 395
Mai, W. F. 263, (519)
maleic hydrazide
effect on flax resistance to wilt 288
effect on tobacco infected with root-knot nematodes 344
Maloy, Otis C. 126
Mankau, R. 395
Maramorosch, Karl 263, (263)
marigold, leafspot disease, caused by new fungus species, Septoria tageticola 561, **562-3-4**
Martin, J. P. (144)
Martin, W. J. 395, 445, (521)
meadow nematode, see (under **nematodes**) Pratylenchus brachyurus
meetings, American Phytopathological Society
49th, proceedings 110
50th, abstracts 391
Northeastern Division 260
Potomac Division 460
Southern Division 341
Meiners, Jack P. 211
Melampsora, see under **fungi**
Melilotus indica, disease associated with Pythium 395
Meloidogyne, see under **nematodes**
MEMA, see (under **fungicides**) 2-methoxyethylmercury acetate
Mer-sol, see under **fungicides**
Merulius, see under **fungi**
Metasol M, see under **fungicides**
2-(1-methylheptyl)-4,6-dinitrophenyl crotonate and isomers, see under **fungicides**
micropipette, plant inoculation with virus 262
Microthyriella, see under **fungi**
Miller, P. M. 264, 416, 665
Miller, W. E. (7)
Mitchell, J. E. (658)
Mitchell, J. W. 517
mites, populations on apple, effect of fungicidal and combination sprays 261
Mohr, H. C. (346)

moisture, temperature and light intensity, Puccinia graminis tritici, infection process 469, **471, 472**
Monochaetia, see under **fungi**
Monolinia, see under **fungi**
Moore, E. L. (686)
morning glory, indexing, for sweet potato viruses 462
Moseman, J. G. 463, 601
4,5-MTMA, see (under **growth regulators**) sodium 4,5-dimethyl-2-thiazolylmercaptoacetate
Munnecke, Donald E. 61, 396, 581
Murakishi, Harry H. 132, 137
Mycena, see under **fungi**
Myrothecium, see under **fungi**
nabam, see (under **fungicides**) disodium ethylenebis[dithiocarbamate]
Nair, P. N. 288
Natti, John J. 264
nectarine, new virus, stubby twig 465, **466**
Nelson, Klayton E. 396
Nelson, Paul E. 613
Nelson, Ray 396
Nemagon see, (under **fumigants** and **nematocides**) 1,2-dibromo-3-chloropropane
nematocides
  control improved with mixture 264
  D-D, Sclerotinia sclerotiorum, sclerotial germination, effect of D-D and components 519
  1,2-dibromo-3-chloropropane
    control of peach root-knot 342
    Heterodera glycines 571, **572-3**
  1,2-dibromoethane, effect on Tylenchorhynchus claytoni 264
  Dorlone, effect on Tylenchorhynchus claytoni 264
  Dowfume W-85, see (under **nematocides**) 1,2-dibromoethane
  ethylene dibromide, effect on Tylenchorhynchus claytoni 264
  Nemagon, see (under **nematocides** and **fumigants**) 1,2-dibromo-3-chloropropane
nematodes
  Aphelenchoides besseyi, white tip of rice 632
  association with strawberries in Arkansas 342
  burrowing nematode, see (under **nematodes**) Radopholus similis
  citrus nematode, pathogenicity differences 391
  Ditylenchus dipsaci, alfalfa varietal reaction to 107, **107**
  effect on tobacco black shank 343
  golden nematode, see (under **nematodes**) Heterodera rostochiensis
  Helicotylenchus, effect on Kentucky blue grass 397
  Helicotylenchus multicinctus, thermotherapy on ornamentals 341
Hemicycliophora arenaria, pathogenicity on citrus 399
  Heterodera glycines
    host-parasite relations 578, **578**
    soil fumigation control 571, **572-3**
  Heterodera rostochiensis, small field plots for study 263
  Heterodera trifolii, pathological disturbances caused 395
  Meloidogyne
    control on peach with fumigation 342
    distribution in U. S. 464
    relation to Fusarium wilt in alfalfa 344
  Meloidogyne arenaria, reaction of clover introductions 341
  Meloidogyne hapla
    accumulation around tomato roots 395
    resistance in alfalfa 347
  Meloidogyne incognita
    Fusarium oxysporum vasinfectum relation to vascular discoloration in cotton 661
    reaction of clover introductions 341
    resistance in tomato, transfer by graft attempted 344
    thermotherapy on ornamentals 341
    tobacco receiving maleic hydrazide 344
  Meloidogyne incognita acrita
    effect on tobacco black shank 343, 344
    host-parasite relation on oat 461
nematodes, M. incognita acrita (continued)
    pathogenesis on sweet potato 30, **31, 33, 34**
    reaction of clover introductions 341
    resistance in tobacco 686
    soybean histology and cytology 461
  Meloidogyne javanica
    effect on blackeye bean wilt 398
    reaction of clover introductions 341
  Paratylenchus projectus, host-parasite relations on tobacco and tall fescue 460
  Pratylenchus, growth reduction of clover and alfalfa 525
  Pratylenchus brachyurus
    correlated with peg rot of peanuts 530, **531**
    effect on tobacco black shank 343
  Pratylenchus hexincisus, associated with charcoal rot of sorghum 355
  Radopholus similis
    aseptic culture and population sampling 393
  Rotylenchus brachyurus, effect on tobacco black shank 343
  small field plots for study 263
  stem nematode, see (under **nematodes**) Ditylenchus dipsaci
  tobacco stunt nematode, see (under **nematodes**) Tylenchorhynchus claytoni
  Trichodorus christiei, resistance in asparagus, chemical basis 463
  Tylenchorhynchus claytoni
    control, improved with nematocide mixture 264
    effect on tobacco black shank 343
  Xiphinema americanum, associated with strawberry decline 420, **422**
  Xiphinema chambersi, associated with strawberry decline 420, **422**
  Xiphinema index
    transmission of fanleaf virus 393
    vector of soil-borne fanleaf virus 586
neomycin, see under **antibiotics**
new species, varieties, etc.
  Alternaria nigrescens, proposed as synonym for A. cucumerina 343
  azalea, apparently new disease, caused by Colletotrichum 256, **257**
  Fusarium lateritium f. ciceri n.f., incitant of wilt of garbanzo bean 498, **499**
  gummosis of apricot, a new disease 435, **436**
  Peronospora manshurica, four new races 83, **85**
  Phytophthora sojae n. sp., cause of root and stem rot of soybean 201, **203**
  Puccinia graminis avenae, new and virulent culture 389
  purple blight, an undescribed disorder of pea 264
  Septoria tageticola, fungus on marigold 561, **562-3-4**
  sorghum parasite, first report 485, **487, 491, 493**
  stubby twig, new virus on nectarine and peach 465, **466**
  tobacco streak virus, a new strain isolated from pea 463
  tomato atypical mosaic, new virus disease on pepper 665
  virus streak of pea, a new virus 464
Nielsen, L. W. (30), (224), (646)
Norman, G. G. (426)
Norton, Don C. 355
Nusbaum, C. J. 334, (344)
nutrition
  calcium and boron, effect on Fusarium wilt of tomato 324
  effect on
    internal browning of tomato 448
    bacterial stem rot of pelargonium 185
  nitrogen, effect on lettuce production 311, **311, 312**
  of avocado, effect on Phytophthora root rot 144
Nyland, George 396
oak, Ceratocystis fagacearum, histology of infected trees 556, **558**
oat
  crown rust, antagonism to wheat leaf rust 69, **70**
  Helminthosporium sativum, seed rot control, water-soak method 502 **503**
  Meloidogyne incognita acrita, host-parasite relations 461

oat (continued)
Puccinia coronata avenae, antagonism to P. recondita 69, **70**
Puccinia graminis avenae, new and virulent culture 389
Sclerophthora macrospora 485, **491**, **492**
water-soaking for disease control 502, **503**
yellowing associated with Helminthosporium 342
yellow-leaf, viruses suggested as cause 342
oat stem rust, see (under **fungi**) Puccinia graminis avenae
oatgrass, tall, Scolecotrichum graminis on 141
Ogawa, Joseph M. 396
ojo de gallo, control, mercury-containing fungicides 11, **12**
okra, used for aseptic culture of Radopholus similis 393
Olien, C. R. (371)
Olpidium, see under **fungi**
Olson, Edward O. 454
onion, Botrytis allii, irradiation for control 345
orange, see also under **citrus**
Homosassa sweet, Hemicycliophora arenaria on 399
sour, tristeza virus 454
sweet, citrus nematode, pathogenicity differences 391
trifoliate, citrus nematode, pathogenicity differences 391
orchardgrass, Scolecotrichum graminis on 141
orchid
virus isolates
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
ornamentals, thermotherapy for nematodes 341
Oswald, John W. 396
Ovex, see (under **insecticides**) p-chlorophenyl p-chlorobenzene sulfonate
Owens, Charles Elmer, biographical sketch 291, **291**
oxamycin, see under **antibiotics**
oxytetracycline, see (under **growth regulators**) 4-dimethylamino-1,4,4a,5,5a,6,11,12a-octahydro-3,5,6,10,12,12a-hexahydroxy-6-methyl-1, 11-dioxo-2-naphthacenecarboxaminide
Paharia, K. D. (644)
Panogen, see (under **fungicides**) cyano(methylmercuri)-guanidine
Panzer, J. D. 550
Parker, J. Neil (637)
Parmeter, J. R., Jr. 396
Partyka, R. E. 519
Paspalum, resistance of fertilized florets to Claviceps paspali 345
Patino, G. 463, (464)
PCNB, see (under **fungicides**) pentachloronitrobenzene
pea
canning, resistance to bean virus 2, 451
garden, resistance to pea enation mosaic virus 628
purple blight, an undescribed disorder 264
tobacco streak virus, a new strain isolated from 463
virus streak of pea, new virus 464
pea enation mosaic virus, see under **viruses**
peach
brown rot, effect of hydrocooling, fungicides, and temperature 322
Cladosporium carpophilum, wettable sulfur as eradicant 341
constriction, attributed to Fusicoccum amygdali 522, **522**, **523**, **524**
Fusicoccum amygdali, control by nutrition, defoliation, and fungicides 400, **401**
heat injury 39, **44**
Monilinia fructicola, effect of holding temperatures, 462
new virus, stubby twig 465, **466**
peach rosette virus, thermal stability of 331
Rhizopus rot, effect of hydrocooling, fungicides, and temperature 322
Rhizopus stolonifer
effect of holding temperatures 462
post-harvest environment 464
root-knot, control with fumigation 342
peach rosette virus, see under **viruses**
peach scab, see (under **fungi**) Cladosporium carpophilum
peach X-disease, isolation of virus-like particles 15, **17**
peach yellow bud mosaic, see under **viruses**
peach yellow leaf roll virus, see under **viruses**
peanut
Aspergillus, seed rot, control, water-soak method 502, **503**
Fusarium, seed rot, control, water-soak method 502, **503**
Penicillium, seed rot control, water-soak method 502, **503**
Pratylenchus brachyurus, correlated with peg rot 530, **531**
Rhizoctonia, seed rot control, water-soak method 502, **503**
Rhizopus, seed rot control, water-soak method 502, **503**
Sclerotium, seed rot control, water-soak method 502, **503**
Sclerotium rolfsii, control with pentachloronitrobenzene 343
water-soaking, for disease control 502, **503**
pear, fire blight canker, secondary organism role in 209
Peck, N. H. (264)
pelargonium, bacterial stem rot, factors affecting development 185
Penicillium, see under **fungi**
Peniophora, see under **fungi**
pentachloronitrobenzene, see under **fungicides**
pepper
aphid-borne viruses on 265
Colletotrichum, taxonomy, etiology, and control 464
new virus disease, tomato atypical mosaic 665
pepper calico virus, see under **viruses**
peppermint, Verticillium albo-atrum menthae, control by deep plowing 575, **576**
Peronospora, see under **fungi**
Perry, Vernon G., 397, 420
Petersen, L. J. 397
Peturson, B. 655
phenylmercury acetate, see under **fungicides**
Phix, see (under **fungicides**) phenylmercury acetate
Phomopsis, see under **fungi**
Photinia serrulata, cercospora leafspot of, control with fungicides 341
Physalospora, see under **fungi**
Physoderma, see under **fungi**
Phytophthora, see under **fungi**
pin nematode, see (under **nematodes**) Paratylenchus projectus
pine
Cronartium fusiforme, anatomy of fusiform rust galls 637
eastern white, twig blight on, cause, Monochaetia pinicola 516, **516**
ponderosa, response to atmospheric fluorides 393
Scirrhia acicola, comparison of isolates 398
slash, branch cankers, spread of Cronartium fusiforme from 394
Pine, T. S. 192
pink root fungus, see (under **fungi**) Pyrenochaeta terrestris
piperonyl butoxide and pyrethrins, see under **insecticides**
Piricularia, see under **fungi**
Plakidas, A. G. (256), (341)
plant inoculation, mechanism of, with viruses 262
Plenodomus, see under **fungi**
pleocidin, see under **antibiotics**
pod mottle virus, see under **viruses**
polyethylenesorbitan monolaurate, see under surfactants
polyethylene thiuram sulfide, see under **fungicides**
Poncirus trifoliata, exocortis virus, color test for 426, **428**
Popp, W. 19, 641
Porter, Frank M. 463, (517)
potato
Phytophthora infestans on 165, **168**
seed-piece treatments 261
Verticillium albo-atrum in 268, **272**, **275**, **276**
virus Y, resistance to 121
potato virus M, see under **viruses**
potato virus S, see under **viruses**
powdery mildew, see (under **fungi**) Erysiphe cichoracearum
powdery mildew of wheat, anisomycin, effect on causal organism 474, **475**, **476**

Powell, N. T. 344
Pridham, Thomas G. (395)
Probst, A. H. 414
Prunus, Sclerotinia (Monolinia) fructicola, effect of gaseous emanations from fruits 396
Pseudomonas, see under **bacteria**
Pseudoplea, see under **fungi**
Puccinia, see under **fungi**
pumpkin
squash mosaic virus concentration in leaves 98, **99**
Puratized Agricultural Spray, see (under **fungicides**) tris(2-hydroxyethyl) (phenylmercuri)ammonium lactate
Purdy, Laurence H. 508, 605
purple blight, undescribed disorder of pea 264
Pyrenone, see (under **insecticides**) piperonyl butoxide and pyrethrins
Pythium, see under **fungi**
Qasem, Subhi A. 544
Raabe, Robert D. 397, 610
radiation
gamma rays, deleterious changes in tomato 346
infrared, on onion, for control of Botrytis allii 345
ionizing, effect on Botrytis cinerea 396
thermal (slow) neutrons, deleterious changes in tomato 346
ultraviolet, induction of sporulation of Scoletotrichum graminis 141
X-irradiation, wider virulence induced in Melampsora lini 297
Radopholus, see under **nematodes**
Ramamurthi, C. S. 336
Raniere, L. C. 463
Ranney, C. D. 345, 345
Raski, D. J. (393), (586)
ratoon stunting, see under **sugarcane**
red clover vein mosaic virus, see under **viruses**
red stele root disease, on loganberry and strawberry 129, 130
Reddy, C. S. (386)
resistance
alfalfa, to Meloidogyne hapla 347
asparagus, to Trichodorus christiei, chemical basis 463
barley, to Erysiphe graminis hordei, genes conditioning resistance to 2 cultures 463
chlorogenic acid content of potato, related to Verticillium wilt resistance 268
cotton, to Xanthomonas malvacearum, measurement 341
cucumber, to Colletotrichum lagenarium 302, **303**
inheritance
barley to Erysiphe graminis hordei 601
canning pea to bean virus 2, 451
cucumber to Colletotrichum lagenarium 302, **303**
garden pea to pea enation mosaic virus 628
red clover to Colletotrichum trifolii 437
soybean to Cercospora sojina 414
tobacco to Meloidogyne incognita acrita 686
rice plant, to Piricularia oryzae, silicon content as factor 179
sclerenchyma tissue in wheat, role related to pustule development, Puccinia graminis var. tritici 518, **519**
tomato, to Meloidogyne incognita, transfer by graft attempted 344
respiration, spores of Neurospora sitophila 623
Rhizoctonia, see under **fungi**
Rhizophagus, see under **fungi**
Rhizopus, see under **fungi**
Rhodes, W. H. (343)
Rhynchosporium secalis, pathogenic specialization, on barley 477
rice
Aphelenchoides besseyi, pathogenicity 632
Piricularia oryzae
chemical stimulation of spore germination 7
environmental influence 25, **26**
resistance and silicon content 179
Rich, A. E. (260)
Rich, Saul (316), 448
Riggs, R. D. 344
Riker, A. J. (556)
Riley, John A. (399)
Ringel, S. M. (261)
Risley, John H. 337
Roane, C. W. 219
Roberts, D. A. (336)
Roberts, John William, biographical sketch 460
Robinson, A. G. (232)
Rohde, R. A. 463
root and stem rot, see (under **fungi**) Phytophthora sojae n. sp.
root-knot nematode, see (under **nematodes**) Meloidogyne
root lesion nematodes, see (under **nematodes**) Pratylenchus
root rot, see (under **fungi**) Fusarium solani
Rosberg, David W. 345
rose
Diplocarpon rosae, winter treatments for control 408, **409**
spider mites, winter treatments for control 408, **409**
Ross, A. F. (336)
Ross, J. P. 578
Rowell, J. B. 371, (494)
Russell, R. C. (553)
rye leaf rust, see (under **fungi**) Puccinia rubigo-vera secalis
Sackston, W. E. 108
safflower
Puccinia carthami
auxin level changes in hypocotyls 91
control with volatile mercury fungicide, temperature effects 398
seed-borne rust control 640
safflower rust, see (under **fungi**) Puccinia carthami
Sasser, J. N. (571)
Schaller, C. W. (463)
Schantz, E. J. (7)
Scheffer, R. P. (185), (349)
Schein, Richard D. 477
Schlegel, David E. 397
Schlocker, Archie (465)
Schmitt, C. G. (469)
Schnathorst, W. C. 390, 538
Schneider, C. L. 463
Schneider, Henry 397
Schneider, I. R. 244, 397
Schroeder, W. T. 264, 628
Schuster, M. L. 178
Scirrhia, see under **fungi**
Sclerophthora, see under **fungi**
Sclerotinia, see under **fungi**
Sclerotium, see under **fungi**
Scolecotrichum, see under **fungi**
Sedum purpureum, absorption of streptomycin by 150
seed
sterilization, in barley, by heat and by propylene oxide 177
wheat, mercury injury or toxicity 219
seed rot, water-soak, effect on microbial activity, oxygen supply, and nutrient availability 502, **503**
seed treatments
propylene oxide and heat on barley 177
soaking injury of barley 553
water-soak method
oats and peanuts 502, **503**
effect on microbial activity, oxygen supply, and nutrient availability 502, **503**
peanuts and oats 502, **503**
Segall, R. H. (11)
semesan, see (under **fungicides**) 2-chloro-4-(hydroxymercuri)phenol
Sequeira, Luis 64
Sharp, E. L. 469, 696
Sheffield, F. M. L. 1

Siegel, M. R. (461)
Silverborg, Savel B. (337)
Simons, John N. 265, 397
Sinclair, J. B. 345, 398
Sisler, Hugh (235), (263)
Siteroptes, see under **insects**
Slack, D. A. (342), (344)
Smale, B. C. (517)
Smith, Floyd F. (408)
Smith, Oliver F. 107
Smith, R. W. 464
Smith, W. L., Jr. (462), 464
Smith, W. W. (260)
Smoot, J. J. 165
smut fungus, see (under **fungi**) Sphacelotheca **and** Ustilago
Snow, Glenn A. 398
snow mold, on forage crops in Alaska and Yukon 148, **149**
sodium-2-benzothiazolylmercaptoacetate, see under growth regulators
sodium 4,5-dimethyl-2-thiazolylmercaptoacetate, see under growth regulators
sodium 4,6-dinitro-o-cresoxide, see under fungicides
sodium hypochlorite, see under fungicides
sodium o-phenylphenoxide, see under fungicides
soil organisms, estimating populations, most probable number method 126
soil rot of sweet potato, see (under **fungi**) Streptomyces ipomoea
Solberg, R. A. (396)
sooty blotch, see (under **fungi**) Gloeodes pomigena
sorghum
  charcoal rot, Pratylenchus hexincisus associated with 355
  covered-kernel smut fungus, environmental influence on 22
  Sclerophthora macrospora, first report as parasite on 485 **487, 491, 493**
southern bean mosaic virus, see under **viruses**
southern blight of peanuts, see (under **fungi**) Sclerotium rolfsii
southern blight of tomatoes, see (under **fungi**) Sclerotium rolfsii
southern cucumber mosaic virus, see under **viruses**
soybean
  Cercospora sojina, inheritance of resistance 414
  Heterodera glycines
    host-parasite relations 578, **578**
    soil fumigation control 571, **572-3**
  Meloidogyne incognita acrita, histology and cytology 461
  Peronospora manschurica, 4 new races from 83, **85**
  root and stem rot, Phytophthora sojae n. sp. the cause 201, **203**
  virus disease complex in Arkansas 346
soybean cyst nematode, see (under **nematodes**) Heterodera glycines
soybean mosaic virus, see under **viruses**
Spathoglottis diamond-spot virus, see under **viruses**
spearmint, Verticillium **albo-atrum menthae,** control by deep plowing 575, **576**
Sphacelotheca, see under **fungi**
spider mites, control on rose, winter treatments 408, **409**
spiral nematode, see (under **nematodes**) Rotylenchus brachyurus
spores, germination of, chemical stimulation 7
spotted wilt, see under **viruses**
spruce, Norway, Stereum sanguinolentum on 337, **338**
squash
  Colletotrichum lagenarium 79, **81**
  mosaic virus, concentration in leaves 98, **99**
  watermelon mosaic (melon mosaic) virus 393
squash mosaic, see under **viruses**
Stahmann, Mark A. 362
Staley, J. M. (469)
Stanford, E. H. 347
Staples, Richard C. 264
Starling, T. M. (219), (601)
Stathis, P. D. 256
Steib, R. J. 398
stem nematode, see (under **nematode**) Ditylenchus dipsaci
stem rust
  see (under **fungi**) Puccinia graminis
  uredospores, self-inhibition of germination, metabolic aspects 392
Stemphylium, see under **fungi**
Stereum, see under **fungi**
Stewart, Donald M. 389
Stewart, Robert B. 345
stock, Verticillium albo-atrum, wilt of garden stock 610
storage rots, carnation 261
strawberry
  Botrytis rot, fungicide tests, a field method 343
  decline, associated with Xiphinema americanum and X. chambersi 420, **422**
  fruit tree viruses in, symptoms 396
  nematodes, associated with in Arkansas 342
  red stele root disease 129, **130**
Streptomyces, see under **fungi**
streptomycin, see under **antibiotics**
streptothricin, see under **antibiotics**
Struckmeyer, B. Esther 556
stubby twig, new virus, peach and nectarine 465, **466**
sugarcane
  Pythium arrhenomanes, infection induced by flooding 345
  ratoon stunting, control with hot air 398
sunflower
  heat injury 39, **44**
  Itersonilia perplexans on 108, **108**
  Puccinia helianthi on 108, **108**
  rust (Puccinia helianthi) 108, **108**
surfactants
  polyethylenesorbitan monolaurate, in Dutch elm disease therapy 172
  Tween 20, see (under **surfactants**) polyethylenesorbitan monolaurate
sweet potato
  feathery mottle virus, natural transmission 462
  internal cork
    control by isolation 395
    effect on yield and grade 521
    movement as affected by temperature and inoculum source 646, **648**
  nematodes on, Meloidogyne incognita acrita 30, **31, 33, 34**
  Streptomyces ipomoea, reaction of varieties and seedlings 445, **446**
  viruses
    indexing with morning glory 462
    A and B 1, **2**
    transmission to alternative hosts 1, **2**
sweet potato feathery mottle, see under **viruses**
Syzygites megalocarpus (Sporodinia grandis) inhibited by antibiotic Cinnamycin 395
Szkolnik, Michael, (262), (262)
Tammen, James 423
Taylor, A. L. 464
Taylor, C. F. (462)
Taylor, Edgar A. (408)
Taylor, G. S. (46), (264)
Taylor, Jack 345
techniques
  absorption, streptomycin by plant leaves 150
  aseptic culture, Radopholus similis 393
  bioassay
    fungicides in soil 61
    pentachloronitrobenzene 261
  color test, for exocortis virus in Poncirus trifoliata 426, 428
  disease potential estimate, citrus Phytophthoras in soil, serial dilution method 398
  embryo examination, mycelium of smut fungi 19, **19, 20, 21**
  fungicide field test method, Botrytis rot of strawberries 343
  indexing
    excised sour cherry twigs for necrotic ring spot virus 461
    sweet potato viruses on morning glory 462

techniques (continued)
infection by Pythium arrhenomanes, induced in sugarcane and corn by flooding 345
infesting soil, without disturbing roots of established seedlings 481, **482**
inoculating
plants with virus, mechanism 262
wheat leaves with more than one race of Puccinia graminis tritici 387, **388**
Pinto bean with southern bean mosaic virus 397
isolating
fungi from soil, method and factors affecting 394
sporulating strain of Cercospora kikuchii, selective subculturing 287
viruses or virus-like particles from deceased woody plants 15, **17**
loose-smut in wheat and barley, detection of mycelium in whole embryo 641, **642-3**
most probable number method, estimating populations of plant-pathogenic organisms in soil 126
nematode studies, small field plots for 263
pathogen-free lilies from cultured bulb-scales 391
Phomopsis reduction in fig 392
protection tests, identifying isolates of bean yellow mosaic virus with clones of red clover 697
single-conidial isolates, Erysiphe cichoracearum 390
smut fungus, embryo examination for mycelium 19, **19, 20, 21**
sporulation, induction of in Scolecotrichum graminis 141
tissue transplant, for abundant sporulation on wheat 696, **696**
uniform application of fungicides to small plots of row crops 394
uniform seed corn cold test 386
X-disease virus transmission, with leafhopper vectors 262
Telone, see under **nematocides**
temperature
effect on
brown rot of peach 322
concentration of squash mosaic virus in leaves of cucurbits 98, **99**
control of safflower rust with a volatile mercury fungicide 398
flooding injury of alfalfa 392
formation of infection-type structures of Puccinia graminis tritici on artificial substrates 649, **650-51**
germination of resting sporangia of Physoderma maydis 102
Helminthosporium sativum development 305, **308**
movement of internal cork virus in sweet potato 646, **648**
Rhizopus rot of peach 322
uredial infection with Puccinia graminis tritici 658, **659**
virus content of Cheyenne wheat 411
holding temperature of hydrocooled peaches
effect on Monilinia fructicola 462
effect on Rhizopus stolonifer 462
hot air, control of ratoon stunting of sugarcane 398
moisture, and light intensity, Puccinia graminis tritici, infection process 469, **471, 472**
peach rosette virus, thermal stability of 331
post-harvest, deterioration by fungi of stored corn 544, **547**
pre-inoculation, effect on test plant susceptibility 550
soil, effect on Verticillium albo-atrum 393
therapy of ornamentals for nematodes 341
thermal death range, Verticillium albo-atrum 613
Terraclor, see (under **fungicides**) pentachloronitrobenzene
Thioneb, see (under **fungicides**) polyethylene thiuram sulfide
thiourea, effect on flax resistance to wilt 288
thiram, see (under **fungicides**) bis(dimethylthiocarbamoyl) disulfide
Thomas, C. A. 398
Thomas, M. H., Jr. (342)
Thomason, Ivan J. 398
Thornberry, H. H. 15, (665)
timothy, Scolecotrichum graminis on 141
Tims, Eugene C. 398
tobacco
alfalfa mosaic virus, susceptibility affected by pre-inoculation temperature 550
black shank, effect of root-knot nematode resistance 344
blue mold, spore dissemination of 46, **49**
control of stunt nematode on 264
Meloidogyne incognita, effect of maleic hydrazide 344
Meloidogyne incognita acrita, inheritance of resistance 686
Paratylenchus projectus, host-parasite relations 460
Peronospora tabacina on 46, **49**
Phytophthora parasitica nicotianae, development affected by nematodes 343
Pseudomonas tabaci, pathogenicity of biochemical mutants 535
tobacco mosaic virus, susceptibility affected by pre-inoculation temperature 550
translocation of antibiotics in 71, **73**
tobacco black shank, see (under **fungi**) Phytophthora parasitica nicotianae
tobacco mosaic, see under **viruses**
tobacco ring spot, see under **viruses**
tobacco stunt nematode, see (under **nematodes**) Tylenchorhynchus claytoni
Todd, E. H. 632
tomato
Colletotrichum phomoides, irrigation effects 463
fusaric acid injury 670
Fusarium oxysporum lycopersici, calcium and boron 324
Fusarium wilt incidence, effect of cutting roots 341
internal browning, incidence influenced by fertilizer 448
irradiation, deleterious changes resulting 346
Meloidogyne hapla, accumulation around roots 395
new virus disease, tomato atypical mosaic 665
Phytophthora infestans on 165, **168**
Pseudomonas solanacearum on 155, **158, 160, 162**
resistance to Meloidogyne incognita, transfer by graft attempted 344
respiratory responses, to Fusarium oxysporum lycopersici 349
Sclerotium rolfsii, control with fungicides 346
tobacco mosaic virus, on 3 varieties 345
tomato atypical mosaic, new virus disease 665
Tri-Basic, see (under **fungicides**) basic copper sulfate
N-(trichloromethylthio)-4-cyclohexene-1,2-dicarboximide, see under **fungicides**
Trichoderma, see under **fungi**
tris(2-hydroxyethyl) (phenylmercuri) ammonium lactate, see under **fungicides**
tristeza, see under **lemon**
Tsao, Peter H. 398
Tucker, Shirley (358)
Tuite, John F. (358)
Tull, Dade L. W. (623)
Tween 20, see (under **surfactants**) polyethylenesorbitan monolaurate
Twomey, James A. (435)
Tylenchorhynchus claytoni, see under **nematodes**
Tyler, L. J. 565, (579)
Tyner, L. E. 177
Typhula, see under **fungi**
uredospore germination, aspartic and glutamic acid as self-inhibitors 595
Uromyces, see under **fungi**
Ustilago, see under **fungi**
Vanda mosaic virus, see under **viruses**
van der Zwet, T. 345
Van Gundy, S. D. 399
Van Hook, John O. (652)
van Pelt, H. M. (341)
vein-banding mosaic virus, see under **viruses**
Venturia, see under **fungi**
Verticillium, see under **fungi**
victorin, metabolic studies with 394

Viglierchio, D. R. (395)
virus inoculations, mechanism of, on plants 262
viruses
A and B of sweet potato 1, **2**
a new streak of pea 464
alfalfa mosaic
test plant susceptibility affected by pre-inoculation temperature 550
effect on Ladino white clover 320
aphid-borne, affecting pepper 265
apple mosaic
caused by 2 viruses 432
comparison of 5 isolates 262
heat inactivation of 39, **44**
symptoms of in strawberry 396
apricot ring pox, symptoms of in strawberry 396
aster yellows
chemotherapy trials in insect vector 263
cytopathogenic effects on insect vector 263
in host and in leafhopper, 3 strains, cross-protection tests 393
B of sweet potato 1, **2**
bean virus 2, resistance in canning pea 451
bean yellow mosaic
effect on Ladino white clover 320
identifying isolates with clones of red clover 697
lupine infected by 86
red clover as local-lesion host 369, **370**
cachexia, cross-protection studied with yellow-vein 399
carnation latent virus, relation to potato viruses S and M 391
Cattleya color-break virus
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
Cattleya necrosis virus
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
chemotherapy trials in insect vectors 263
citrus viruses, cross-protection studies 399
corn stunt, chemotherapy trials in insect vector 263
cucumber mosaic, in cantaloup and squash 393
cucurbit, in Imperial Valley, Calif. 393
curly top, chemotherapy trials in insect vectors 263
Cymbidium mosaic
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
dapple apple virus, transmission of 260
Dendrobium mosaic
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
disease complex in soybeans in Arkansas 346
exocortis
color test for in Poncirus trifoliata 426, **428**
cross-protection studied with yellow-vein 399
fanleaf, transmission reported by Xiphinema index 393
grape leafroll, identified with white Emperor disease 51, **53**
gummosis of apricot, a new disease 435, **436**
heat inactivation of 39, **44**
inoculation on Pinto beans, effect of water and buffer 57
internal cork, movement in sweet potato, effect of temperature and inoculum source 646, **648**
line pattern and white spot, symptoms of in strawberry 396
necrotic ring spot, indexing sour cherry trees for 461
new virus on tomato and pepper, tomato atypical mosaic virus 665
orchid virus isolates
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
pea enation mosaic, resistance in garden pea 628
peach rosette virus, thermal stability of 331
viruses (continued)
peach yellow bud mosaic, heat inactivation of 39, **44**
peach yellow leaf roll, leafhopper vectors, reduction in vector longevity 394
pepper 265
pepper calico virus 265
pepper viruses, vector efficiency 397
pod mottle virus, complex in soybean 346
potato virus M, relation to potato virus S and carnation latent virus 391
potato virus S, relation to potato virus M and carnation latent virus 391
psorosis, cross-protection studied with yellow-vein 399
red clover vein mosaic, quantitative tests on Gomphrena globosa 336, **336**
sour cherry yellows, symptoms in strawberry 396
southern bean-mosaic virus
inoculation on Pinto bean 57, 397
symptoms as affected by some substituted carbamates 517, **518**
temperature effect on 244, **247**
southern cucumber mosaic
vector efficiency on pepper 397
on pepper 265
soybean mosaic virus, complex in soybean 346
Spathoglottis diamond-spot virus
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
spotted wilt, heat inactivation of 39, **44**
squash mosaic, concentration in cucurbit leaves, temperature and light effects 98, **99**
strawberry virus, Fragaria vesca seedling reactions 462
stubby twig, peach and nectarine 465, **466**
suggested cause of oat yellow-leaf 342
sweet cherry rugose mosaic, symptoms in strawberry 396
sweet potato feathery mottle, natural transmission 462
sweet potato viruses, indexing with morning glory 462
tobacco mosaic
control with antiviral agent 344
cross-protection with Uromyces phaseoli typica on bean 228, **230, 231**
effect on 3 tomato varieties 345
fixing solutions effects 392
heat inactivation 39, **44**
incorporation of labeled organic acids 397
influence in tomato internal browning 448
inhibition by polyelectrolytes 362
inoculation on Pinto beans, effect of water and buffer 57
test plant susceptibility, affected by pre-inoculation temperature 550
tobacco ring spot, heat inactivation 39, **44**
tobacco streak, a new strain 463
tomato atypical mosaic, new disease of tomato and pepper 665
tristeza
cross-protection studied with yellow-vein 399
responses of citrus seedlings and 4 scion-rootstock combinations 454
Vanda mosaic virus
host range, symptomatology, physical properties, and cross-protection 132, **134**
serological and morphological relations 137, **139**
vein-banding mosaic virus
vector efficiency on pepper 397
on pepper 265
vein-enation, cross-protection studied with yellow-vein 399
watermelon mosaic (melon mosaic), in cantaloup and squash 393
wheat streak mosaic
properties, assay, and purification 439
virus content of wheat, factors affecting 411
white Emperor disease, identified with grape leafroll 51, **53**
wound tumor, chemotherapy trials in insect vector 263
X-disease, insect transmission 262

viruses (continued)
Y, in potato, resistance to 121
yellow bud mosaic and ringspot, symptoms in strawberry 396
yellow stipple virus, complex in soybean 346
yellow-vein, cross-protection studied with cachexia, exocortis, psorosis, tristeza, and vein-enation viruses 399
viruses, new
stubby twig of peach and nectarine 465, **466**
Vittum, M. T. (264)
Volk, Richard J. 179
Waggoner, Paul E. 46, (416)
Wagnon, H. Keith 465
Walker, J. C. (302), (324)
Wallace, J. M. (392)
Wallin, Jack R. 399
Walters, H. J. (344), 346
watermelon, Colletotrichum lagenarium 79, **81**
water-soaking
effect on microbial activity, oxygen supply, and nutrient availability 502, **503**
oats and peanuts 502, **503**
peanuts and oats 502, **503**
Watkins, G. M. (343), 346
Weathers, L. G. 399
Weber, George F. (561)
Weinberger, J. H. (51)
Weinstein, Leonard H. (264)
Weintraub, Robert L. 7, (179)
Wetter, C. (391)
wheat
embryo examination, for mycelium of smut fungus 19, 19, 20, 21
Erysiphe graminis tritici, anisomycin effect 474, **475, 476**
Fusarium roseum, pathogenicity 423
leaf rust, antagonism to oat crown rust 69, **70**
loose-smut mycelium, detection in embryo 641, **642-3**
Puccinia coronata, antagonism with P. recondita 69, **70**
Puccinia graminis tritici
abundant sporulation, tissue transplant technique 696, **696**
effect of environment 371
inoculating leaves with more than one race 387, **388**
wheat, P. graminis tritici (continued)
pustule development, related to peduncle sclerenchyma tissue 518, **519**
yield effects 343
Puccinia recondita, antagonism to P. coronata avenae 69, **70**
resistance to Puccinia graminis tritici, role of sclerenchyma tissue 518, **519**
Sclerophthora macrospora on 485, **491, 492**
seed, mercury injury or toxicity 219
Tilletia contraversa, factors affecting development 565
wheat streak mosaic, virus content of Cheyenne wheat, factors affecting 411
wheat stem rust, see (under **fungi**) Puccinia graminis tritici
white Emperor disease, see under **viruses**
white tip of rice, see (under **nematodes**) Aphelenchoides besseyi
Whitehead, Marvin D. 485
Wilbur, Wesley D. (392)
Wilcoxson, Roy D. 358, (371), 518, 644
wildfire bacterium, see (under **bacteria**) Pseudomonas tabaci
Wilhelm, Stephen (610), (613)
Williams, A. S. 646
Wilson, Eugene M. 228, 595, 640
Wilson, W. F. (394)
Winfree, J. P. 311
Winstead, N. N. (344), (344)
Wittmann, H. Gunter (397)
Wollman, E. S. H. (392)
Wong, Po-Ping (520), (616)
woods, weight losses, exposed to Merulius lacrymans under 4 environments 461
Worley, J. F. (244), (397)
wound tumor, see under **viruses**
Xanthomonas, see under **bacteria**
Xiphinema, see under **nematodes**
Yarwood, C. E. 39
yellow stipple virus, see under **viruses**
Young, P. A. 346, (346)
Zaumeyer, W. J. 464
Zentmyer, George A. (144), 399
zinc ethylenebis[dithiocarbamate], see under **fungicides**
zineb, see (under **fungicides**) zinc ethylenebis[dithiocarbamate]
Zink, F. W. (292)

ERRATA, VOLUME 47

Page 517, column 2, Line 25: *read* causal *for* casual.

Page 523, column 2, line 41: *read* but not necessarily constant *for* but necessarily constant.

Page 526, column 1, line 17: *read* isolates *for* isloates.

Page 526, column 1, line 27: *read* identification *for* indentification.

Page 527, column 1, line 26-29: *read* The 6-methylpurine inhibited virus multiplication beginning at 0.01 and approached 50 per cent at 0.05, 0.1, 0.25, 1, 10, and 100 mg./l.

Page 549, column 2, line 42: *read* used *for sued.*

Page 636, column 2, line 8: *read* substances *for* sugstances.

Page 672, column 1, line 48: *read* closer *for* closed.

Page 690, column 2, *second footnote: No. 1* only pertains to abstract by Caldwell et al.

ERRATA, VOLUME 48

Page 137, Citation No. 6: *read* 10:14-16. *for* 1 (2): 39-44

Page 137, Citation No. 7: *read* 339-340 *for* 339-440

Page 140, Citation No. 1: *read* 335 p. *for* 355 p.

Page 152, legend for fig. 2: *read* 0.1 per cent Tween 20 and with water alone *for* 0.1 per cent Tween 20 with water alone.

Page 224, first sentence of summary: *read* invaded and colonized *for* invaded the colonized

Page 230-231: Pictures for figures 2 and 3 are switched.

Page 341, Bain's Abstract, column 2, sentence beginning on line 7 should *read* "Four of the white clover introductions were only lightly affected by *M. incognita acrita*, 1 by *M. javanica*, but none by the other 2 species."

Page 347, *add footnote*: [5]Hare, W. W. 1957. Inheritance of resistance to the root-knot nematodes in pepper. Phytopathology 47:455-459

Page 352, column 1, line 3 from bottom: *read* 10.0 mg dry wt per hour *for* 100 mg dry wt per hour.

Page 429, table 1: *delete* superscript [a] from reactions pertaining to Schiff's and Ammoniacal $AgNO_3$ reagents.

Page 452, column 2, line 30: *read* virus was not being introduced into the plant *for* virus was not into the plant.

Page 426, column 2, line 21: *read* with reference to Discolor and . . . *for* with reference to discolor and . . .